>> Bulk Migration Scheduling Tool: Input View - Submit

0.1.1 Submit

The submit putton confirms the reservation based upon the customers selection. The following rules apply

| Field Name | Source | Error | Rule Text |
|---|-----------------------|---|---|
| - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 | Customer initiated | The system will need to provide error pop up windows to provide guidance for the customer | The submit button initiates the reservation based upon the following fields • State • Wire Center • Reservation date |
| | | Confirmation box must appear upon the submission | Product Activity Total EATNs Total Lines |
| Submit button | | If required fields are not input on the screen an error must appear based upon | The submit button confirms the reservations and assigns a bulk id to the transactions. Bulk ID designation is defined in the output section of the document. Upon the successful submission, the following fields are populated: |
| | | required inputs. | BULK ID Assigned Wire Center |
| | | | Bulk Cart Detail confirmed with total lines populated |
| | | | |
| 2 This button is a required input. | | | 2 |



Bulk Migration Scheduling Tool: Input View - Reset 0.1.1 Reset

| Customer Finance Customer Finance Fina | Error Rule Text | THE . | provide guidance for Wire Center the customer Reservation date | Confirmation | | fields are not input on the second must | |
|--|-----------------|----------|--|--------------|--------------|---|---|
| | Ð | Customer | | | Reset button | | · 1000000000000000000000000000000000000 |

| | Sign of the state | | | | - | | |
|---------------------------------|---|---|------------|---|---|--|--|
| ing Tool: Output View – Bulk ID | | atton identifier. The following rules apply | Rufe Text | Based upon the successful submission of a reservation, the bulk id is generated by the application. | Bulk ID field naming convention 12 digit code, first two chars: 1.2 State | 5-bis patendar date or the earliest date of the migration 17-10's CON of the CLEC 11-12 are free fields - Attached Designations: | o SH – Special Handling o BU-Bulk o IB – Individual LSRs with BOP! (future, will need input) |
| | ments | | e Error | System Ba Generated thr | 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2 | | |
| ➤ Bulk Migration Schedu | Output Requirements | The Bulk 1D field identifies the unique resem | Field Name | | | (b) | |



| | | - 1. | | | |
|--|--------------|---|-------------------------|---------------------|----|
| | | - | | | |
| | | Based upon the successful submission of a reservation, the Central Office's populated from the ACTL selected in | · · | | |
| | | ig ag | | | |
| 4 | | ≥ <u>ŏ</u> | - 1 | | |
| 25.500 | | es Se | | | |
| 4 | | ו ב | | | |
| 3 | | ြို့ပ | | | |
| 1000 | | . ⊑ o | | | |
| 2 | | | | | |
| 7.70 | ıt | ⊇ë ⊆ | | | ľ |
| | ê | Tr Jr | | | |
| | Rule Text | S P | \$ - , ## | | |
| | 3 | a C | .2 | M. L. | |
| Š | u. | ss d | Ö | | |
| 9 | | gz | 2 | | |
| | | SU | <u> </u> | | |
| | | 9 S | ĕ :: | | ŀ. |
| | | ₹ర | do | | |
| , | | 8 2 | Ť. | | ŀ |
| | | T C | 3 | | |
| 6 | | ဖြွင့် | he input drop down menu | × | |
| | | 3at | e L | | |
| | | 1 | • | 8833 | |
| | | | | | |
| 2 | 5 | | | | |
| 200 | Ш | \$ (1) \$ \$ | | | |
| 000 | Source Error | | | | |
| X | a) | System Generated | | | |
| 8 | 5 | e të | | 10.0 | X |
| × | ō | ste | | 3.77 | |
| 8 | S | System Generat | | | |
| | | | | | |
| 20.00 | | | | | |
| Š | | | | | l |
| 3 | | | | | l |
| | | | | | |
| 000 | | 80.77 | | | |
| XX. | | 1 | | 1 5 | |
| 0.00 | <u> 3</u> 6 | | | 8 | |
| | Name | | | ै | l |
| | Z | | | uired output | |
| | 용 | | | Ę | |
| | Ĭ. | . · | | be | |
| | | | Ħ | 3 6 | |
| 18.75 | | \$ S | ¥ | 6 | |
| CONTRACTOR OF THE PROPERTY OF THE PARTY OF T | | | ssigned ACTL | This field is a req | |
| | | | ř | Į. | ľ |
| X | | | 3 | 2 | ľ |
| | | | As | ΙÉ | ١ |
| | | | ar Silan | % ' ' ' ' ' | 1 |
| X | | | | | - |
| | | _ | | N | 1 |
| | | | | | - |



Bulk Migration Scheduling Tool; Output View – Bulk Cart 0.11 Bulk cart betail The Bulk Cart Detail list section identifies the individual reservations for a single Bulk ID. The following rules apply:

| Field Name | Source | Error | Rule Text |
|-----------------------------------|----------------------------|-----------------|--|
| | System Generated | Basel the st | Based upon the successful ADD TO CART transaction. The specific information is listed in the BULK CART |
| Bulk CART Detailt | based |) speci | DETAIL Section on the result side of the screen. On each specific reservation, the customer can remove it from the |
| 1 IDLC 3/21/2004 27 lines | customer | CAR | CART at any time. The |
| CO Only 3/24/2004 34 ines | i D D D D D | functi | functionality needed if the customer depresses the the transaction is removed from the BULK CART DETAIL. |
| Total Lines: 71 lines | | Each | Each transaction needs to represent special handling and |
| | | depre | |
| | | | |
| 2 This field is a required output | | | |



>>> Bulk Migration Scheduling Tool: Reports

Report Outputs

This section identifies the reporting deliverables. The following reports are needed:

- following reports are needed: Existing Bulk IDs Report External and Internal Report
- Bulk ID Detail Report External and Internal Report
 - Bulk ID Log Report External and Internal Report

>>> Bulk Migration Scheduling Toof: Existing Bulk ID Report

Existing Bulk IDs Report

- The Existing Bulk IDs Report provides a log review based upon the web login security table. The list represents the customer specific information. The Existing Bulk IDs Report produces a list of Bulk IDs initiated by the customer. The log contains the following fields: Bulk ID
 - Bulk ID
- Company Name Parent company name
 - Status
- Wire Center
- Date Created
- Latest Log Entry
- **Total Lines**
- Actions Edit and cancel Bulk ID
- Logs Customer and System generated logs